

# Work Order ID 78153

**\*78153\***

Page 1

December-29-11 10:37:38 AM

Item ID: D2662-2 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Saddle, RH In 206  
 Start Date: 29/12/2011 Start Qty: 10.00 **\*10\*** Cust Item ID:  
 Required Date: 06/02/2012 Req'd Qty: 10.00 **\*10\*** Customer:  
 Reference:

Approvals: Process Plan: M.L.J Date: 11/12/29 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2662	Rev E								

100 0.00  
**\*100\*** HAAS CNC VERTICAL MACHINING #1  
 HAAS I Memo 0.00  
 HAAS CNC vertical machine #1 Program part number and batch number.  
 Inspect part number and batch number are programmed SL 12-01-08 (10) φ  
 MACHINE AS PER FOLIO FB069 & DWG  
 DWG REV: F  
 FOLIO REV: AA

110 0.00  
**\*110\*** CONVENTIONAL MILLING MACHINE  
 Mill Conv Memo 0.00  
 Conventional Milling Machine Machine Keyway and inspect per attached dimension sheet SL 12-01-08 10 φ

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 78153

December-29-11 10:37:38 AM

**\*78153\***

Page 2

Item ID: D2662-2 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Saddle, RH In 206  
 Start Date: 29/12/2011 Start Qty: 10.00 **\*10\*** Cust Item ID:  
 Required Date: 06/02/2012 Req'd Qty: 10.00 **\*10\*** Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 <b>*120*</b> QC Quality Control	QC2- Inspect parts off machine FAI/FAIB  Memo	0.00 0.00	SL	12-01-08		10	0		
130 <b>*130*</b> QC Quality Control	QC8- Inspect parts - second check  Memo	0.00 0.00	OK	12/01/09		10	0		
140 <b>*140*</b> HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1  Memo	0.00 0.00				10	0	CF/12	12-1-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**\*78153\***

Page 3

**\*N900040100\***

Setup Start \*NS1\*

Stop \*NS2\*

\*10\*

**Cust Item ID:**

**\*10\***

**Customer:**

**Reference:**

Run Start \*NR1\*

Date:

Stop **\*NR2\***

**SPC (Y/N):**

Date:

**Insp.  
Stamp**

0.00

**\*150\***

## Memo

0.00

Powdercoat

START TIME:

OVEN TEMPERATURE:

## Powder Coating

FINISH TIME:

~~10:50~~

160

### QC3- Inspect Part Finish

0.00

**\*160\***

## Memo

0.00

QC

## Quality Control

170

Identify as per dwg & Stock Location: ET . 283 . 0.00

0.00

**\*170\***

## Memo

0.00

## Packaging

## Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**\*78153\***

Page 4

**\*N900040100\***

Setup Start \*NS1\*

Stop \*NS2\*

**\*10\***

**Cust Item ID:**

**\*10\***

**Customer:**

**Reference:**

Run Start \*NR1\*

Stop \*NR2\*

**Insp.  
Stamp**

0.00

**\*180\***

QC

## Memo

0.00

## Quality Control

12/1/12

MF  
12-01-12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

December-29-11 10:37:42 AM

Page 1

Work Order ID: 78153

\*78153\*

Parent Item: D2662-2

\*D2662-2\*

Parent Item Name: Saddle, RH In 206

Start Date: 29/12/2011

Required Date: 06/02/2012

Start Qty: 10.00

Required Qty: 10.00

## Comments:

IPP: C00.11.01Removed P/O for Powder Coat - in house

processEC

IPP REV:D

REDESIGN PER ENG ERROR 11-11-17 JLM VERIFIED BY:DD

IPP Rev:D As per Rev D 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-001		Manufactured	No			100	Each	104.0000	1	10			

\*D6101-001\*

Saddle Billet

\*\*

DA 12/01/06

## Location

## Loc Qty

## Loc Code

MAT040

104

69677

2

73774

50

74679

6

→ 76836

46

10.0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>	<b>Work Order:</b> 78153
<b>Description:</b> 206 Saddle, Inboard, Right side	<b>Part Number:</b> D2662-2
<b>Inspection Dwg:</b> D2662 Rev. D	<b>Page 1 of 1</b>

Inspect dimensions highlighted on inspection sheet drawing D2662 Rev. D and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		.120	.120	.121	.120	.128	
B	0.100	0.140		.131	.131	.131	.132	.131	
C	1.125	1.145		1.137	1.137	1.137	1.136	1.138	
D	0.615	0.685		.685	.685	.685	.685	.685	
E	0.240	0.260		.246	.246	.248	.247	.246	
F	1.313	1.343		1.322	1.322	1.322	1.323	1.323	
G	0.210	0.230		.218	.218	.218	.219	.218	
H	0.100	0.180		.140	.140	.140	.140	.140	
I	2.470	2.510		2.490	2.490	2.490	2.490	2.490	
J	1.565	1.585		1.576	1.576	1.576	1.575	1.577	
K	0.235	0.240		.237	.237	.237	.237	.237	
L	0.100	0.120		.110	.110	.110	.110	.110	
M	0.990	1.010		1.000	1.000	1.000	1.000	1.000	
N	0.510	0.515		.512	.512	.512	.512	.512	
O	5.990	6.010		5.999	5.999	5.998	6.000	6.000	
P	1.245	1.255		1.250	1.250	1.250	1.250	1.250	
Q	2.495	2.505		2.500	2.500	2.500	2.500	2.500	
R	0.313	0.318		.314	.314	.314	.314	.314	
S	0.315	0.322		.316	.316	.316	.316	.316	
T	2.495	2.505		2.500	2.500	2.500	2.500	2.500	
U	1.357	1.367		1.362	1.362	1.362	1.362	1.362	
V	0.787	0.807		.794	.794	.797	.797	.796	
W	0.540	0.560		.551	.550	.550	.550	.550	
X	1.674	1.684		1.679	1.679	1.679	1.679	1.679	
Y	0.257	0.262		.257	.257	.257	.257	.257	
Z	0.912	0.932		.923	.922	.921	.922	.921	
AA	0.490	0.510		.499	.500	.501	.500	.500	
AB	0.178	0.198		.188	.188	.188	.188	.188	
AC									
AD									
AE									
AF									
Accept/Reject									

Measured by:	J
Date:	12-01-07

Audited by:	Am
Date:	12/01/09

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
C	99.11.11	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

<b>DART AEROSPACE LTD</b>	<b>Work Order:</b> 78153
<b>Description:</b> 206 Saddle, Inboard, Right side	<b>Part Number:</b> D2662-2
<b>Inspection Dwg:</b> D2662 Rev. D	<b>Page 1 of 1</b>


Inspect dimensions highlighted on inspection sheet drawing D2662 Rev. D and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions					By	Date
				6	4	8	4	10		
A	0.100	0.140		.120	.120	.120	.120	.120		
B	0.100	0.140		.131	.133	.133	.133	.132		
C	1.125	1.145		1.139	1.138	1.138	1.138	1.139		
D	0.615	0.685		.685	.685	.685	.685	.685		
E	0.240	0.260		.245	.246	.246	.246	.246		
F	1.313	1.343		1.323	1.324	1.323	1.323	1.323		
G	0.210	0.230		.219	.220	.219	.219	.219		
H	0.100	0.180		.140	.140	.140	.140	.140		
I	2.470	2.510		2.490	2.490	2.490	2.490	2.490		
J	1.565	1.585		1.578	1.577	1.577	1.577	1.578		
K	0.235	0.240		.237	.237	.237	.237	.237		
L	0.100	0.120		.110	.110	.110	.110	.110		
M	0.990	1.010		1.000	1.000	1.000	1.000	1.000		
N	0.510	0.515		.512	.512	.512	.512	.512		
O	5.990	6.010		6.000	5.999	5.999	6.000	6.000		
P	1.245	1.255		1.250	1.250	1.250	1.250	1.250		
Q	2.495	2.505		2.500	2.500	2.500	2.500	2.500		
R	0.313	0.318		.314	.314	.314	.314	.314		
S	0.315	0.322		.316	.316	.316	.316	.316		
T	2.495	2.505		2.500	2.500	2.500	2.500	2.500		
U	1.357	1.367		1.362	1.362	1.362	1.362	1.362		
V	0.787	0.807		.796	.798	.797	.797	.797		
W	0.540	0.560		.550	.550	.550	.550	.550		
X	1.674	1.684		1.679	1.679	1.679	1.679	1.679		
Y	0.257	0.262		.257	.257	.257	.257	.257		
Z	0.912	0.932		.922	.920	.921	.922	.921		
AA	0.490	0.510		.500	.498	.499	.500	.500		
AB	0.178	0.198		.188	.188	.188	.188	.188		
AC										
AD										
AE										
AF										
Accept/Reject										


Measured by: <u>Sh</u>
Date: <u>12-01-09</u>

Audited by: <u>owl</u>
Date: <u>12/01/09</u>

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
C	99.11.11	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	



**D2662-1 SADDLE, INSIDE, LH**



**D2662-2 SADDLE, INSIDE, RH**

STOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 781534.2J  
11/12/29

RELEASED  
2011-11-16  
JW

E	REDRAW & REFORMAT DWG; 0.687 WAS 0.547 (B8-2,B5-4), REF NCR 11-935	CP	11.10.31
D	R0.188 WAS R0.30; Ø0.316 WAS Ø0.313	CB	06.11.08
C	INCORP DEO 9122/9102/9095/9137	CB	06.05.29
B	ANGLE AND NOTES ADDED	KE	97.07.11
A	NEW ISSUE	DS	97.03.25
REV.	DESCRIPTION	BY	DATE
DESIGN	DART AEROSPACE USA, INC.		
DRAWN	KENT, WA		
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.		D2662	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, INSIDE	NTS
DATE	11.10.31	<small>COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMANDED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

CHAMFER 0.050X45°  
AROUND SURFACE  
2 PL

4.632

4.642

3.826

Ø0.257  
6 PL

Ø0.316  
2 PL

1.00



1.571  
REF

0.687

E

80°

2.727



D2662-1 SADDLE, INSIDE, LH

- DATE: 04/25/2013 INSIDE: CH**
- 1) MATERIAL: 7075-T351 ALUMINUM PLATE PER QQ-A-250/12, AMS-QQ-A-250/12, OR ASTM B209  
MATERIAL FROM 01-001 SADDLE BILLET
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE GLOSS" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.010 TO 0.020 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.3 (CNC ENGRAVING)  
USING MAX DEPTH OF 0.010 WITH MIN RADIUS OF 0.010
- 7) WEIGHT: 0.66 lbs

RELEASE  
2011-11-16

DESIGN	<i>Q</i>	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	REV. E
CHECKED	<i>ASS</i>	DRAWING NO.	SHEET 2 OF 3
MFG. APPR.	<i>[Signature]</i>	D2662	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE, INSIDE	NTS
DATE	11.10.31	COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. NO PART OF THE EXPIRED COPYRIGHT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

78153



**VIEW B-B**  
SCALE 1.5X B4-2  
VIEW ROTATED



**VIEW A-A**  
SCALE 1.5X C1-2

**RELEASED**  
2011-11-16

DESIGN	90	<b>DART AEROSPACE USA, INC.</b>	
DRAWN	90	KENT, WA	
CHECKED	AS	DRAWING NO.	REV. E
MFG. APPR.	3/10	<b>D2662</b>	SHEET 3 OF 5
APPROVED	3/10	TITLE	SCALE
DE APPR.	3/10	<b>SADDLE, INSIDE</b>	NTS
DATE	11.10.31	<small>COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

78153



RELEASED  
2011-11-16

# **D2662-2 SADDLE, INSIDE, RH**

- 1) MATERIAL: 7075-T7351 ALUMINUM PLATE PER QQ-A-250/12, AMS-QQ-A-250/12, OR ASTM B209  
MAKE FROM D6101-001 SADDLE BILLET
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE GLOSS" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.010 TO 0.020 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.3 (CNC ENGRAVING)  
USING MAX DEPTH OF 0.010 WITH MIN RADIUS OF 0.010
- 7) WEIGHT: 0.66 lbs

DESIGN		<b>DART AEROSPACE USA, INC.</b>	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D2662	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, INSIDE	NTS
DATE	11.10.31	<small>COPYRIGHT © 1987 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


**NOTE:** Date & initial all entries

Technical drawing of a mechanical part, likely a bracket or support, showing dimensions and features.

Key dimensions and features:

- Overall width: 6.000
- Overall height: 1.000
- Top right feature: 6
- Central vertical section: D2662-2 BXXXX
- Hole specification:  $\varnothing 0.313$  4 PL
- Radius: R0.525 TYP
- Radius: R0.25 TYP
- Horizontal dimensions: 0.500, 1.250, 3.750, 5.000, 6.000
- Vertical dimensions: 0.500, 1.000

**VIEW D-D** B4-4  
**SCALE 1.5X**  
**VIEW ROTATED**



**VIEW C-C**  
**SCALE 1.5X** C3-4

RELEASE  
2011-11-16

DESIGN	<i>JD</i>	<b>DART AEROSPACE USA, INC.</b> KENT, WA DRAWING NO. <b>D2662</b> REV. E SHEET 5 OF 5 TITLE <b>SADDLE, INSIDE</b> SCALE NTS COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE, AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED FOR ANY OTHER PERSON WITHOUT WRITTEN PERMISSION OF DART AEROSPACE USA, INC.
DRAWN	<i>JD</i>	
CHECKED	<i>JD</i>	
MFG. APPR.	<i>JD</i>	
APPROVED	<i>JD</i>	
DE APPR.	<i>JD</i>	
DATE	11.10.31	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries